










listino	GENNAIO 2017	codice	conf.	prezzo unitario	
				ferro	ottone
	REGGIVETRO	RV.43.24.F	300	0,37	
		RV.43.24.O	300		0,88
Sp.0'6		RV.60.29.F	300	0,34	
Ferro Cromabile Sp. 0,6		RV.60.29.O	300		1,13
Ferro LAF sp. 1,5		RV.60.F.FM3/3	300	1,39	
Ottone sp. 0,6		RV.60.O.FM3/3	300		2,30
	RV 60 con fori filettati FM3				
		MZ3.42.06.F	300	0,52	
		RB.45.19.F	300	0,28	
		RB.45.19.O	300		0,78
		RB3.45.19.F	300	0,56	
		RB3.45.19.O	300		1,10
Sp. 0,6					
		RT.57.27.F	300	0,37	
		RT.57.27.O	300		0,93
Sp. 0,6					
		RT.67.39.F	300	0,42	
		RT.67.39.O	300		1,10
Sp. 0,6					
		RS.48.28.F	300	1,00	
Ferro LAF Sp. 1,5		RS.48.28.O	300		2,57
		RS.56.37.F	300	1,24	
Ferro LAF Sp. 1,5		RS.56.37.O	300		3,77

listino	GENNAIO 2017	codice	conf.	prezzo unitario	
				ferro	ottone
REGGIVETRO		RVR.36.23.F	300	0,48	0,88
Ferro Cromabile sp. 0,6 Ottone sp. 0,6		RVR.36.23.O	300		
ASOLA DI Raffreddamento		RVR.36.23.F.AR	300	1,10	1,60
		RVR.36.23.O.AR	300		
Lettura codice. esempio ReggivetRO R V R Diametro 59 Altezza 32 Materiale F		RVR.52.32.F	300	0,29	0,87
		RVR.52.32.O	300		
REGGIVETRO		RVR.47.25.F	300	0,48	0,88
		RVR.47.25,O	300		
	REGGIVETRO	RVR.50.26.F	300	0,49	0,92
		RVR.50.26.O	300		
	REGGIVETRO DIAM. 50 H.18 Ferro e ottone sp. 0,6	RVP.50.F	300	0,48	0,88
		RVP.50.O	300		
	REGGIVETRO DIAM. 60 H.24 Ferro e ottone sp. 0,6	RVP.60.F	300	0,49	0,92
		RVP.60.O	300		

			prezzo unitario		
listino	GENNAIO 2017	codice	conf.	ferro	ottone
REGGIVETRO Diam. 40 H.34	<b>NOVITA':</b>				
		RVR.44.34.F	200	0,72	
REGGIVETRO con ribordatura diam. 3 Diam. 57 H 27 Sp. 0,6					
Ferro e Ottone					
		RVB.57.F	200	0,67	
		RVB.57.O	200		1,49
REGGIVETRO ferro o ottone Sp. 1 Foro centrale 10,5					
		RCV.73.48.F	200	0,98	
		RCV.73.48.O	200		2,46
REGGIVETRO conico con ripresa					
Diam. 50 H. 25 ferro e ottone sp. 0,6					
		RCR.50.25.F	200	0,41	
		RCR.50.25.O	200		0,92

			prezzo unitario		
listino	GENNAIO 2017	codice	conf.	ferro	ottone
REGGIVETRO H30,5 ferro - ottone sp.0,6		RVR.38.29.F	300	0,51	
	Diam. 29 Diam. 38	RVR.38.29.O	300		0,88
REGGIVETRO H49 ferro - ottone sp.0,6		RVR.54.F	300	0,77	
	Diam. 54	RVR.54.O	300		1,60
<b>NOVITA':</b>					
REGGIVETRO conico ferro e ottone Diam. Piccolo esterno 24 Diam. Base esterno 41,4 H. 13,9 Foro diam. 10,6 Sp. 1,2		RCN.41.F	300	0,62	
		RCN.41.O	300		1,15
REGGIVETRO conico H. 35 Sp. 1,5 ferro o ottone		RGC.60.F	300	1,19	
		RGC.60.O	300		4,14
Copricentro diam. 60 alto Sp. 0.6		RC.60.21.F	300	0,28	
		RC.60.21.O	300		0,87

listino	GENNAIO 2017	codice	conf.	prezzo unitario	
				ferro	ottone
	REGGIVETRO Lamiera cromabile Sp. 0,5	RS.60.45.F	200	0,91	1,50
		RS.60.45.O	200		
	REGGIVETRO Lamiera cromabile Sp. 0,5	RS.44.33.F	200	0,39	0,88
		RS.44.33.O	200		
		RS 33 24 F	200	0,43	1,03
		RS 33 24 O	200		
	REGGIVETRO Lamiera cromabile Sp. 0,5	RVI.50.29.F	200	0,39	0,88
		RVI.50.29.O	200		
	REGGIVETRO Lamiera Cromabile Sp. 0,5	RVI.60.32.F	200	0,67	1,14
		RVI.60.32.O	200		

listino	GENNAIO 2017	codice	conf.	prezzo unitario		
				ferro	ottone	
 <p>Reggivetto ferro e ottone H 33 diam. 44 con aperture uscita calore</p>		RS 44 33 F AR	300	0,77	1,36	
		RS 44 33 O AR	300			
	 <p>Reggivetto ferro e ottone H 24 diam. 33 con aperture uscita calore</p>		RS 33 24 F AR	300	0,76	1,33
			RS 33 24 O AR	300		
 <p>Reggivetto ferro e ottone H 25 diam. 36 con aperture uscita calore</p>		BRV25 36 F AR	300	0,76	1,33	
		BRV25 36 O AR	300			
 <p>REGGIVETRO Ferro - ottone H24 DIAM 36</p>		RR.36.24.F	300	0,43	1,03	
		RR.36.24.O	300			
		RR.36.24.F.AR	300	0,76	1,33	
		RR.36.24.O.AR	300			