








listino	GENNAIO 2019	codice	conf.	prezzo unitario	
				ferro	ottone
	REGGIVETRO	RV.43.24.F	300	0,40	
		RV.43.24.O	300		0,94
Sp.0'6		RV.60.29.F	300	0,36	
Ferro Cromabile Sp. 0,6		RV.60.29.O	300		1,21
Ferro LAF sp. 1,5		RV.60.F.FM3/3	300	1,48	
Ottone sp. 0,6		RV.60.O.FM3/3	300		2,46
	RV 60 con fori filettati FM3				
		MZ3.42.06.F	300	0,56	
		RB.45.19.F	300	0,30	
		RB.45.19.O	300		0,83
		RB3.45.19.F	300	0,60	
		RB3.45.19.O	300		1,18
Sp. 0,6					
		RT.57.27.F	300	0,40	
		RT.57.27.O	300		1,00
Sp. 0,6					
		RT.67.39.F	300	0,45	
		RT.67.39.O	300		1,18
Sp. 0,6					
		RS.48.28.F	300	1,07	
Ferro LAF Sp. 1,5		RS.48.28.O	300		2,75
		RS.56.37.F	300	1,32	
Ferro LAF Sp. 1,5		RS.56.37.O	300		4,03

listino	GENNAIO 2019	codice	conf.	prezzo unitario	
				ferro	ottone
REGGIVETRO Ferro Cromabile sp. 0,6 Ottone sp. 0,6		RVR.36.23.F	300	0,51	0,94
		RVR.36.23.O	300		
ASOLA DI Raffreddamento		RVR.36.23.F.AR	300	1,18	1,71
		RVR.36.23.O.AR	300		
Lettura codice. esempio ReggivetRO R V R Diametro 59 Altezza 32 Materiale F		RVR.52.32.F	300	0,31	0,93
		RVR.52.32.O	300		
REGGIVETRO		RVR.47.25.F	300	0,51	0,94
		RVR.47.25.O	300		
	REGGIVETRO	RVR.50.26.F	300	0,52	0,98
		RVR.50.26.O	300		
	REGGIVETRO DIAM. 50 H.18 Ferro e ottone sp. 0,6	RVP.50.F	300	0,51	0,94
		RVP.50.O	300		
	REGGIVETRO DIAM. 60 H.24 Ferro e ottone sp. 0,6	RVP.60.F	300	0,52	0,98
		RVP.60.O	300		

listino	GENNAIO 2019	codice	conf.	prezzo unitario	
				ferro	ottone
REGGIVETRO Diam. 40 H.34		RVR.44.34.F	200	0,77	
REGGIVETRO con ribordatura diam. 3 Diam. 57 H 27 Sp. 0,6 Ferro e Ottone		RVB.57.F RVB.57.O	200 200	0,72	1,59
REGGIVETRO ferro o ottone Sp. 1 Foro centrale 10,5		RCV.73.48.F RCV.73.48.O	200 200	1,05	2,63
REGGIVETRO conico con ripresa Diam. 50 H. 25 ferro e ottone sp. 0,6		RCR.50.25.F RCR.50.25.O	200 200	0,44	0,98

listino	GENNAIO 2019	codice	conf.	prezzo unitario	
				ferro	ottone
<p>REGGIVETRO H30,5 ferro - ottone sp.0,6</p>  <p>Diam. 29 Diam. 38</p>	RVR.38.29.F	300	0,55	0,94	
	RVR.38.29.O	300			
<p>REGGIVETRO H49 ferro - ottone sp.0,6</p>  <p>Diam. 54</p> <p>NOVITA':</p> <p>REGGIVETRO conico ferro e ottone Diam. Piccolo esterno 24 Diam. Base esterno 41,4 H. 13,9 Foro diam. 10,6 Sp. 1,2</p> 	RVR.54.F	300	0,82	1,71	
	RVR.54.O	300			
<p>REGGIVETRO conico H. 35 Sp. 1,5 ferro o ottone</p> 	RCN.41.F	300	0,66	1,23	
	RCN.41.O	300			
<p>Copricentro diam. 60 alto Sp. 0.6</p> 	RGC.60.F	300	1,27	4,43	
	RGC.60.O	300			
<p>Copricentro diam. 60 alto Sp. 0.6</p> 	RC.60.21.F	300	0,30	0,93	
	RC.60.21.O	300			

				prezzo unitario	
listino	GENNAIO 2019	codice	conf.	ferro	ottone
	REGGIVETRO	RS.60.45.F	200	0,97	
	Lamiera cromabile Sp. 0,5	RS.60.45.O	200		1,61
	REGGIVETRO	RS.44.33.F	200	0,42	
	Lamiera cromabile Sp. 0,5	RS.44.33.O	200		0,94
		RS 33 24 F	200	0,46	
		RS 33 24 O	200		1,10
	REGGIVETRO	RVI.50.29.F	200	0,42	
	Lamiera cromabile Sp. 0,5	RVI.50.29.O	200		0,94
	REGGIVETRO	RVI.60.32.F	200	0,72	
	Lamiera Cromabile Sp. 0,5	RVI.60.32.O	200		1,22

listino	GENNAIO 2019	codice	conf.	prezzo unitario	
				ferro	ottone
	Reggivetto ferro e ottone H 33 diam. 44 con aperture uscita calore	RS 44 33 F AR	300	0,82	1,46
		RS 44 33 O AR	300		
	Reggivetto ferro e ottone H 24 diam. 33 con aperture uscita calore	RS 33 24 F AR	300	0,81	1,42
		RS 33 24 O AR	300		
	Reggivetto ferro e ottone H 25 diam. 36 con aperture uscita calore	BRV25 36 F AR	300	0,81	1,42
		BRV25 36 O AR	300		
	REGGIVETRO Ferro - ottone H24 DIAM 36	RR.36.24.F	300	0,46	1,10
		RR.36.24.O	300		
		RR.36.24.F.AR	300	0,81	1,42
		RR.36.24.O.AR	300		